

ANNEX B: RELEVANT PUBLIC HEALTH OUTCOMES FRAMEWORK INDICATORS

| Public health programme | Proposed final list of Health Committee performance indicators, following September workshop | Related Public Health Outcomes Framework (PHOF) benchmarked indicators: updated annually on a rolling basis with a quarterly PHOF update to Health Committee |
|--|---|---|
| Sexual health and contraception | <ol style="list-style-type: none"> 1. % of people seen within 48hrs of contacting the service 2. % of women who have access to Long Acting Reversible Contraception (LARC) within 10 days of contacting the service. | C01 - Total prescribed LARC excluding injections rate / 1,000 C02a - Under 18s conception rate / 1,000 C02b - Under 16s conception rate / 1,000 D02a - Chlamydia detection rate / 100,000 aged 15-24 D02b - New STI diagnoses (exc chlamydia aged <25) / 100,000 D07 - HIV late diagnosis (%) |
| Drug and Alcohol services | <ol style="list-style-type: none"> 1. % of clients who successfully complete treatment <ul style="list-style-type: none"> - Adults (all substances) - Young People (all substances) 2. % of clients who re-present to the service (adults) | C19a - Successful completion of drug treatment - opiate users C19b - Successful completion of drug treatment - non-opiate users C19c - Successful completion of alcohol treatment C19d - Deaths from drug misuse C20 - Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison C21 - Admission episodes for alcohol-related conditions (Narrow) |
| Children's public health services | Universal all children pre-birth to 5 years <ol style="list-style-type: none"> 1. Health visiting mandated check - Percentage of first face-to-face antenatal contact with a HV from 28 weeks 2. Health visiting mandated check - Percentage of births that receive a face to face New Birth Visit (NBV) within 14 days, by a health visitor 3. Health visiting mandated check – percentage of children who received a 6-8 week review by 8 weeks 4. Health visiting mandated check - Percentage of children who received a 12 month review by 15 months | C04 - Low birth weight of term babies C06 - Smoking status at time of delivery C07 - Proportion of New Birth Visits (NBVs) completed within 14 days C25h - Newborn Blood Spot Screening – Coverage C25i - Newborn Hearing Screening – Coverage E01 - Infant mortality rate C08a - Percentage of children at or above expected level of development in all five areas of development at 2-2½ years C08b - Percentage of children at or above expected level of development in communication skills at 2-2½ years C08c - Percentage of children at or above expected level of development in personal-social skills at 2-2½ years C11a - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years) D03 and D04: Population vaccination coverage for routine childhood immunisation % (total of 14 indicators) B02a - School Readiness: the percentage of children achieving a good level of development at the end of reception |

| | | |
|-------------------------------|---|---|
| | <p>5. Health visiting mandated check - Percentage of children who received a 2 - 2.5 year review</p> <p>Breast feeding:</p> <p>6. % of infants breast feeding at 6-8 weeks (need to achieve 95% coverage to pass validation)</p> | <p>B02a - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception</p> <p>B02c - Percentage of children achieving at least an expected level of development across all learning goals in communication and language</p> <p>B02d - School readiness: Percentage of children achieving the expected level of development in communication, language and literacy skills at the end of Reception</p> <p>B02b - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check</p> <p>B02b - School Readiness: the percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check</p> <p>E02 - Percentage of 5 year olds with experience of visually obvious dental decay</p> <p>PHOF breastfeeding indicators at birth and at age 6-8 weeks are currently being revised</p> <p>There are a number of indicators for older school age children including:</p> <p>B03 - Pupil absence</p> <p>C11b - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 0-14 years and aged 15-24 years)</p> <p>2 - Percentage of children where there is a cause for concern</p> <p>C02b - Under 16s conception rate / 1,000</p> <p>C02a - Under 18s conception rate / 1,000</p> <p>B04 - First time entrants to the youth justice system</p> <p>B05 - 16-17 year olds not in education, employment or training (NEET) or whose activity is not known</p> |
| Integrated lifestyle services | <p>Weight Management:</p> <p>1. % of Tier 2 Weight Management patients who complete the course and achieve a 5% weight loss.</p> <p>Health Trainers/ Falls Prevention:</p> <p>1. % of clients completing a strength and balance exercise programme demonstrating an improvement in static balance.</p> <p>Health Trainers:</p> | <p>C09a - Reception: Prevalence of overweight (including obesity)</p> <p>C09b - Year 6: Prevalence of overweight (including obesity)</p> <p>C15 - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)</p> <p>C16 - Percentage of adults (aged 18+) classified as overweight or obese</p> <p>C17a - Percentage of physically active adults</p> <p>C17b - Percentage of physically inactive adults</p> <p>C29 - Emergency hospital admissions due to falls in people aged 65 and over</p> <p>E13 - Hip fractures in people aged 65 and over</p> |

| | | |
|----------------------------|--|--|
| | 1. % of written health plans that are completed. Lifestyle Service: 1. % of referrals from deprived areas/ vulnerable groups | |
| Smoking and tobacco | 1. % against target for 4 week quitters. 2. Achievement against target for 52 week quitters. | C06 - Smoking status at time of delivery C13a - Smoking prevalence age 15 years - regular smokers (SDD survey) C18 - Smoking Prevalence in adults (18+) - current smokers (APS) |
| Health checks | 1. Number of outreach health checks completed | C26a - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check C26b - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check C26c - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check |